






Lagerlista standard


BALK

Typ	Dimension	Kg/m	
HEA 	HEA 100 à 12,1 M	16,7	● ● ●
	HEA 120 à 12,1 M	19,9	● ● ●
	HEA 160 à 12,1 M	24,7	● ● ●
	HEA 180 à 12,1 M	30,4	● ● ●
	HEA 200 à 12,1 M	42,3	● ● ●
	HEA 220 à 12,1 M	50,5	●
IPE 	IPE 100 à 12,1 M	8,1	● ● ●
	IPE 120 à 12,1 M	10,4	● ● ●
	IPE 140 à 12,1 M	12,9	● ● ●
	IPE 160 à 12,1 M	15,8	● ● ●
	IPE 200 à 12,1 M	22,4	● ● ●
UPE 	UPE 80 à 12,1 M	7,9	● ● ●
	UPE 100 à 12,1 M	9,8	● ● ●
	UPE 120 à 12,1 M	12,1	● ● ●
	UPE 140 à 12,1 M	14,5	● ● ●
	UPE 160 à 12,1 M	17	● ● ●
	UPE 200 à 12,1 M	19,7	● ● ●
	UPE 220 à 12,1 M	22,8	●
	UPE 240 à 12,1 M	26,6	●


HÅLPROFILER

Typ	Dimension	Kg/m	
Kvadratiska			
	25x25x3 MM á 6 M	1,89	● ●
	30x30x3 MM á 6 M	2,36	● ● ●
	40x40x3 MM á 6 M	3,3	● ● ●
	40x40x4 MM á 6 M	4,2	● ● ●
	50x50x3 MM á 6 M	4,25	● ● ●
	50x50x4 MM á 6 M	5,45	● ● ●
	50x50x5 MM á 6 M	6,56	● ● ●
	60x60x3 MM á 6 M	5,19	● ● ●
	60x60x4 MM á 6 M	6,71	● ● ●
	60x60x5 MM á 6 M	8,13	● ● ●
	70x70x4 MM á 6 M	7,91	● ● ●
	80x80x4 MM á 6 M	9,22	● ● ●
	80x80x5 MM á 6 M	11,5	● ● ●
	100x100x4 MM á 6 M	11,7	● ● ●
	100x100x5 MM á 6 M	15,5	● ● ●
	120x120x5 MM á 12 M	17,5	● ● ●
120x120x6 MM á 12 M	20,7	● ●	
150x150x6 MM á 12 M	26,4	● ● ●	
Rektangulära			
	50x30x3 MM á 6 M	3,3	● ● ●
	60x40x3 MM á 6 M	4,25	● ● ●
	80x40x3 MM á 6 M	6,71	● ● ●
	80x40x4 MM á 6 M	7,97	● ● ●
	100x50x4 MM á 6 M	8,5	● ● ●
	100x50x5 MM á 6 M	10,5	● ● ●
	120x60x3 MM á 6 M	7,7	● ●
	120x60x5 MM á 12 M	12,8	● ● ●
	140x70x5 MM á 12 M	17,7	● ● ●
	160x80x5 MM á 12 M	17,5	● ●
	200x100x5 MM á 12 M	22,3	● ●


RUNDA RÖR

Typ	Dimension	Kg/m	
	10 (17,2x2,35) MM á 6 M	0,85	● ● ●
	15 (21,3x2,65) MM á 6 M	1,22	● ● ●
	20 (26,9x2,65) MM á 6 M	1,58	● ● ●
	25 (33,7x3,25) MM á 6 M	2,44	● ● ●
	32 (42,4x3,25) MM á 6 M	3,14	● ● ●
	40 (48,3x3,25) MM á 6 M	3,61	● ● ●
	50 (60,3x3,65) MM á 6 M	5,1	● ● ●


RUNDA RÖR

Typ	Dimension	Kg/m	
	50 (60,3x3,65) MM á 6 M	5,1	● ●
	15 (21,3x2,65) MM á 6 M	1,22	● ●
	20 (26,9x2,65) MM á 6 M	1,58	● ●
	25 (33,7x3,25) MM á 6 M	2,44	● ●
	32 (42,4x3,25) MM á 6 M	3,14	● ●
	40 (48,3x3,25) MM á 6 M	3,61	● ●
	50 (60,3x3,65) MM á 6 M	5,1	● ●

VINKEL LIKSIDIG

Typ	Dimension	Kg/m	
	20x20x3 MM á 6 M	0,88	● ● ●
	25x25x3 MM á 6 M	1,12	● ● ●
	30x30x3 MM á 6 M	1,36	● ● ●
	40x40x4 MM á 6 M	2,42	● ● ●
	50x50x5 MM á 6 M	3,77	● ● ●
	60x60x6 MM á 6 M	5,42	● ● ●
	70x70x7 MM á 6 M	7,38	● ● ●
	80x80x8 MM á 12 M	9,66	● ● ●
	100x100x10 MM á 12 M	15,1	● ● ●
	120x120x11 MM á 12 M	19,9	●

VINKEL OLIKSIDIG

Typ	Dimension	Kg/m	
	40x20x3 MM á 6 M	1,35	● ● ●
	60x30x5 MM á 6 M	3,37	● ● ●
	80x40x6 MM á 6 M	5,41	● ● ●
	100x50x8 MM á 6 M	8,99	● ●
	130x65x8 MM á 6 M	11,9	● ●
	150x75x11 MM á 6 M	18,6	●
	200x100x12 MM á 6 M	27,3	● ●

SVETSADE PRECISIONSSTÅLRÖR

Typ	Dimension	Kg/m	
Runda			
	20x2 MM á 6 M	0,89	● ● ●
	25x2 MM á 6 M	1,13	● ● ●
	30x2 MM á 6 M	1,38	● ● ●
	40x2 MM á 6 M	1,87	● ● ●
	50x2 MM á 6 M	2,37	● ● ●
	DIN 2395 EN 10205-5		

Kvadradska			
	15x15x1,5 MM á 6 M	0,63	● ● ●
	20x20x2 MM á 6 M	1,12	● ● ●
	25x25x2 MM á 6 M	1,44	● ● ●
	30x30x2 MM á 6 M	1,75	● ● ●
	35x35x2 MM á 6 M	2,07	● ● ●
	40x40x2 MM á 6 M	2,38	● ● ●
	50x50x2 MM á 6 M	3,01	● ● ●
	DIN 2395 EN 10205-5		

Rektangulära			
	30x20x2 MM á 6 M	1,44	● ● ●
	40x20x2 MM á 6 M	1,75	● ● ●
	50x30x2 MM á 6 M	2,38	● ● ●
	60x40x2 MM á 6 M	3,01	● ● ●
	80x40x2 MM á 6 M	3,64	● ● ●
	100x40x2 MM á 6 M	4,26	● ● ●

HANDELSBÖJAR

Typ	Dimension	Kg/m	
	26,9x2,3 K 90GR 2138	st	● ● ●
	33,7x2,6 K 90GR 2161	st	● ● ●
	42,4x2,6 K 90GR 2187	st	● ● ●
	48,3x2,6 K 90GR 2203	st	● ● ●

STÅNDSTÅL

Typ Dimension Kg/m

Plattstång

15x3 MM á 4 M	0,35	● ●
20x3 MM á 4 M	0,47	● ●
25x3 MM á 4 M	0,59	● ●
30x3 MM á 4 M	0,71	● ●
40x3 MM á 4 M	0,94	● ●
50x3 MM á 4 M	1,18	● ●
20x4 MM á 4 M	0,63	● ● ●
30x4 MM á 4 M	0,94	● ● ●
40x4 MM á 4 M	1,26	● ● ●
50x4 MM á 4 M	1,57	● ● ●
60x4 MM á 6 M	1,88	● ● ●
20x5 MM á 6 M	0,79	● ● ●
30x5 MM á 6 M	1,18	● ● ●
40x5 MM á 6 M	1,57	● ● ●
50x5 MM á 6 M	1,96	● ● ●
60x5 MM á 6 M	2,36	● ● ●
80x5 MM á 6 M	3,14	● ● ●
100x5 MM á 6 M	3,92	● ● ●
120x5 MM á 6 M	4,71	● ● ●
30x6 MM á 6 M	1,41	● ● ●
40x6 MM á 6 M	1,88	● ● ●
50x6 MM á 6 M	2,36	● ● ●
60x6 MM á 6 M	2,83	● ● ●
80x6 MM á 6 M	3,77	● ● ●
100x6 MM á 6 M	4,71	● ● ●
120x6 MM á 6 M	5,65	● ● ●
25x8 MM á 6 M	1,57	● ● ●
30x8 MM á 6 M	1,88	● ● ●
40x8 MM á 6 M	2,51	● ● ●
50x8 MM á 6 M	3,14	● ● ●
60x8 MM á 6 M	3,77	● ● ●
70x8 MM á 6 M	4,4	● ● ●
80x8 MM á 6 M	5,02	● ● ●
100x8 MM á 6 M	6,28	● ● ●


Plattstång

120x8 MM á 6 M	7,54	● ● ●
150x8 MM á 6 M	9,42	● ● ●
30x10 MM á 6 M	2,36	● ● ●
40x10 MM á 6 M	3,14	● ● ●
50x10 MM á 6 M	3,92	● ● ●
60x10 MM á 6 M	4,71	● ● ●
70x10 MM á 6 M	5,5	● ● ●
80x10 MM á 6 M	6,28	● ● ●
100x10 MM á 6 M	7,85	● ● ●
120x10 MM á 6 M	9,42	● ● ●
150x10 MM á 6 M	11,8	● ● ●
40x12 MM á 6 M	3,77	● ● ●
50x12 MM á 6 M	4,71	● ● ●
60x12 MM á 6 M	5,65	● ● ●
80x12 MM á 6 M	7,54	● ● ●
100x12 MM á 6 M	9,42	● ● ●
120x12 MM á 6 M	11,3	● ● ●
150x12 MM á 6 M	14,1	● ● ●
30x15 MM á 6 M	3,53	● ● ●
40x15 MM á 6 M	4,71	● ● ●
50x15 MM á 6 M	5,89	● ● ●
60x15 MM á 6 M	7,06	● ● ●
80x15 MM á 6 M	9,42	● ● ●
100x15 MM á 6 M	11,8	● ●
120x15 MM á 6 M	14,1	● ●
150x15 MM á 6 M	17,7	● ●
40x20 MM á 6 M	6,28	● ●
50x20 MM á 6 M	7,85	● ●
60x20 MM á 6 M	9,42	● ●
80x20 MM á 6 M	12,6	● ●
100x20 MM á 6 M	15,7	● ●
120x40 MM á 6 M	37,7	●


STÅNDSTÅL

Typ	Dimension	Kg/m	
-----	-----------	------	--


Fyrkant

	8 MM á 6 M	0,5	● ● ●
	10 MM á 6 M	0,79	● ● ●
	12 MM á 6 M	1,13	● ● ●
	16 MM á 6 M	2,01	● ● ●
	20 MM á 6 M	3,14	● ● ●
	25 MM á 6 M	4,91	● ● ●
	30 MM á 6 M	7,06	● ● ●
	40 MM á 6 M	12,56	● ● ●
	50 MM á 6 M	19,63	● ● ●

Runt

	6 MM á 6 M	0,22	● ● ●
	8 MM á 6 M	0,39	● ● ●
	10 MM á 6 M	0,62	● ● ●
	12 MM á 6 M	0,89	● ● ●
	16 MM á 6 M	1,58	● ● ●
	20 MM á 6 M		● ●
	30 MM á 6 M		● ●
	40 MM á 6 M		●
	50 MM á 6 M		●
	60 MM á 6 M		●


U

	50x38 MM á 6 M	5,59	● ● ●
	60x30 MM á 6 M	5,61	● ● ●
	65x42 MM á 6 M	7,09	● ● ●

UNIVERSALSTÅL

Typ	Dimension	Kg/m	
-----	-----------	------	--

S235JRG2

	180x15 MM á 6 M	21,2	● ● ●
	200x6 MM á 6 M	9,42	● ● ●
	200x8 MM á 6 M	12,6	● ● ●
	200x10 MM á 6 M	15,7	● ● ●
	200x12 MM á 6 M	18,8	● ● ●
	200x15 MM á 6 M	23,6	● ● ●
	200x20 MM á 6 M	31,4	● ● ●
	250x15 MM á 6 M	29,4	● ● ●
	250x25 MM á 6 M	49,1	● ● ●
	300x20 MM á 6 M	47,1	
	300x30 MM á 6 M	70,6	

SLITSTÅL

Typ	Dimension	Kg/m	
-----	-----------	------	--

Hardox 450/500

	3000x1500x6	● ●
	3000x1500x8	● ●
	3000x1500x10	● ●
	3000x1500x12	● ●
	3000x1500x16	● ●
	3000x1500x20	● ●
	3000x1500x25	● ●
	3000x1500x30	● ●
	3000x1500x40	● ●
	3000x1500x50	● ●

Kolla med respektive enhet vad gäller skärning, det finns både 3000x1500, 4000x2000 och 6000x2500 format.

DURKPLÅT RUTPLÅT S235JRG2

Typ	Dimension	Kg/m	
	2000x1000x4	72	●
	2500x1250x4	112	●
	2000x1000x5	88	● ●
	2500x1250x5	137	● ●
	3000x1500x5	197	●

VARMFÖRZINKAD PLÅT DX51D+Z275 MA-CR

Typ	Dimension	Kg/m	
	2000x1000x1	16	●
	2000x1000x1,5	24	●
	2000x1000x2	32	●
	2000x1000x3	48	●
	2500x1250x1	25	●
	2500x1250x1,5	37,5	●
	2500x1250x2	50	●
	2500x1250x3	75	●

VARMVALSAD PLÅT S240B S35MC D BET/ANOLJAD

Typ	Dimension	Kg/m	
	2000x1000x3		● ● ●
	2500x1250x3		● ● ●
	3000x1500x3		● ●
	4000x1500x3		●
	2000x1000x4		● ● ●
	2500x1250x4		● ● ●
	3000x1500x4		● ●
	4000x1500x4		●
	2000x1000x5		● ● ●
	2500x1250x5		● ● ●
	3000x1500x5		● ●
	4000x1500x5		●
	2000x1000x6		● ● ●
	2500x1250x6		● ● ●
	3000x1500x6		● ●
	4000x1500x6		●
	2000x1000x8		● ● ●
	2500x1250x8		● ● ●
	3000x1500x8		● ●
	4000x1500x8		●
	2000x1000x10		● ● ●
	2500x1250x10		● ● ●
	3000x1500x10		● ●
	4000x1500x10		●

KALLVALSAD PLÅT S235JRG2

Typ	Dimension	Kg/m	
	2000x1000x4	72	●
	2500x1250x4	112	●
	2000x1000x5	88	● ●
	2500x1250x5	137	● ●
	3000x1500x5	197	●


KALLVALSAD PLÅT DXDC 01(FE P01)/ANOLJAD

Typ	Dimension	Kg/m	
	2000x1000x1	16	● ● ●
	2500x1250x1	25	● ● ●
	2000x1000x1,5	24	● ● ●
	2500x1250x1,5	37,5	● ● ●
	3000x1500x1,5	54	● ● ●
	2000x1000x2	32	● ● ●
	2500x1250x2	50	● ● ●
	3000x1500x2	72	● ●


MASKINSTÅL RUNDSTÅL SS2142M

Typ	Dimension	Kg/m	
	16 MM á 6 M	1,58	●
	19 MM á 6 M	2,23	●
	20 MM á 6 M	2,47	●
	25 MM á 6 M	3,85	●
	30 MM á 6 M	5,55	●
	40 MM á 6 M	9,86	●
	50 MM á 6 M	15,4	●
	55 MM á 6 M	18,7	●
	60 MM á 6 M	22,2	●
	65 MM á 6 M	26,1	●
	70 MM á 6 M	30,2	●
	75 MM á 6 M	34,7	●
	80 MM á 6 M	39,5	●
	85 MM á 6 M	44,5	●
	90 MM á 6 M	49,9	●
	95 MM á 6 M	55,6	●
	100 MM á 6 M	61,7	●
	105 MM á 6 M	68	●
	110 MM á 6 M	74,6	●
	115 MM á 6 M	81,5	●
	120 MM á 6 M	88,8	●
	125 MM á 6 M	96,3	●
	130 MM á 6 M	104,2	●
	135 MM á 6 M	112	●
	140 MM á 6 M	121	●
	150 MM á 6 M	139	●
	160 MM á 6 M	158	●
	170 MM á 6 M	178	●
	180 MM á 6 M	200	●
	190 MM á 6 M	223	●
	200 MM á 6 M	247	●
	240 MM á 6 M		●
	250 MM á 6 M		●

SLIPAD AXEL SS2412/20MNV6

Typ	Dimension	Kg/m	
Fyrkant			
	20 MM á 6 M Tol ISO h8	2,47	● ● ●
	25 MM á 6 M Tol ISO h8	3,85	● ● ●
	30 MM á 6 M Tol ISO h8	5,55	● ● ●
	35 MM á 6 M Tol ISO h8	7,55	● ● ●
	40 MM á 6 M Tol ISO h8	9,86	● ● ●
	45 MM á 6 M Tol ISO h8	12,5	● ● ●
	50 MM á 6 M Tol ISO h8	15,4	● ● ●
	60 MM á 6 M Tol ISO h8	22,2	● ● ●
	70 MM á 6 M Tol ISO h8	30,2	● ● ●
	80 MM á 6 M Tol ISO h8	39,5	● ● ●
	90 MM á 6 M Tol ISO h8	49,9	● ● ●
	100 MM á 6 M Tol ISO h8	61,7	● ● ●
	110 MM á 6 M Tol ISO h8		●
	120 MM á 6 M Tol ISO h8		●
125 MM á 6 M Tol ISO h8		●	

AUTOMAT KALLDRAGET RUNT 1914-04

Typ	Dimension	Kg/m	
S235JRG2			
	30 MM á 3 M Tol ISO h9	5,55	● ●
	35 MM á 3 M Tol ISO h9	7,55	● ●

ROSTFRI PLÅT EN 1.4301 (SS2333)

Typ	Dimension	Kg/m	
S235JRG2			
	2000x1000x1	16	● ●
	2000x1000x2	32	● ● ●
	2000x1000x3	48	● ●
	2000x1000x4		● ●
	2000x1000x5		● ●
	3000x1500x3		● ●
	3000x1500x5		● ●
	3000x1500x10		●

ARMERING KAMSTÅL B500BT

Typ	Dimension	Kg/m	
S235JRG2			
	8mm á 12m		●
	10mm á 12m		●
	12mm á 12m		● ●
	16mm á 12m		● ●
	20mm á 12m		●

ARMERING KAMSTÅL B500BT

Typ	Dimension	Kg/m
S235JRG2		
	8mm á 12m	●
	10mm á 12m	●
	12mm á 12m	● ●
	16mm á 12m	● ●
	20mm á 12m	●

ALUMINIUMPLÅT N AW-1050A/1200 H14/24 HALVHÅRD

Typ	Dimension	Kg/m
S235JRG2		
	2000x1000x1	5,4 ● ● ●
	2000x1000x2	10,8 ● ● ●
	2000x1000x3	16,2 ● ●
	2000x1000x4	21,6 ● ●
	2000x1000x5	● ●

ALUMINIUMDURK EN AW-5754 H114 FIVE BAR

Typ	Dimension	Kg/m
	2000x1000x3/5	18 ● ● ●
	2500x1250x3/5	28 ● ● ●
	3000x1500x3/5	40,5 ● ● ●
	2000x1000x5/7	28,6 ● ● ●
	2500x1250x5/7	44,7 ● ● ●
	3000x1500x5/7	64,35 ● ● ●

GALLERDURK VARMFÖRZ TYP GD C/C 34X38MM H=30

Typ	Dimension	Kg/m
S235JRG2		
	1000x1000	● ● ●
	3000x1000	● ● ●
	6000x1000	● ● ●

ALUMINIUM SKYLTPLÅT VIUT 0500

Typ	Dimension	Kg/m
S235JRG2		
	2500x1250x1,2 mm Vit 0500	10,2 ● ●
	3000x1500x1,5 mm Vit 0500	18,4 ● ●